



ITW

In re Patent Application of

Atty Dkt. 249-341

C# M#

KODAMA et al.

TC/A.U.

3749

Serial No. 10/829,464

Examiner: S. Gravini

Filed: April 22, 2004

Date: December 30, 2004

Title: DRY AIR SUPPLY DEVICE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.**

Fees are attached as calculated below:

Total effective claims after amendment	5	minus highest number			
previously paid for	20	(at least 20) =	0	x	\$ 50.00
					\$ 0.00

Independent claims after amendment	1	minus highest number			
previously paid for	3	(at least 3) =	0	x	\$ 200.00
					\$ 0.00

If proper multiple dependent claims now added for first time, add \$360.00 (ignore improper)	\$ 0.00
--	---------

Petition is hereby made to extend the current due date so as to cover the filing date of this paper and attachment(s) (\$120.00/1 month; \$450.00/2 months; \$1020.00/3 months)	\$ 0.00
---	---------

Terminal disclaimer enclosed, add \$ 130.00	\$ 0.00
---	---------

<input type="checkbox"/> First/second submission after Final Rejection pursuant to 37 CFR 1.129(a) (\$790.00)	\$ 0.00
---	---------

☐ Please enter the previously unentered, filed

☐ Submission attached

Subtotal \$ 0.00

If "small entity," then enter half (1/2) of subtotal and subtract	-\$ 0.00
---	----------

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee (\$180.00)	\$ 0.00
--	---------

Assignment Recording Fee (\$40.00)	\$ 0.00
------------------------------------	---------

Other:	0.00
--------	------

TOTAL FEE ENCLOSED \$ 0.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

1100 North Glebe Road, 8th Floor
Arlington, Virginia 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
AMK:js

NIXON & VANDERHYE P.C.
By Atty: Alan M. Kagen, Reg. No. 36,178

Signature: Alan M. Kagen



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KODAMA et al.

Atty. Ref.: 249-341; Confirmation No. 6417

Appl. No. 10/829,464

TC/A.U. 3749

Filed: April 22, 2004

Examiner: S. Gravini

For: DRY AIR SUPPLY DEVICE

* * * * *

December 30, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the Office Action dated September 30, 2004, please amend the
above-identified patent application as follows:

Amendments to the Abstract begin on page 2.

Amendments to the Claims are reflected in the listing of claims which begins on page 3.

Remarks/Arguments begin on page 5.